479341 TO 479342-continued

479342. JH-298-82. Japan. US National Arboretum. 51320.
Collected October 06, 1982. Near Lake Onuma, Onuma, Nanaecho, Kameda-gun, Hokkaido. Lat. 41 deg. 59° N, Long. 140
deg. 43° E. Snow cover 2 days by 50cm or deeper. Minimum
temperature -18C. Tree deciduous, 7.6m tall. Branches
wide spreading. Leaves dark green above with impressed
veins, somewhat lustrous beneath. Fruiting aments
pendulous, green. Growing in open woodland. Seed
collected from one plant. Wild. Seed.

479343. Castanopsis cuspidata (Thunb.) Schottky (Fagaceae).

From Japan. Collected by Kawase, M.; Nielsen, D.; Meyer, F.; March, S.; Ohio Agricultural Research & Development Center; US National Arboretum; Wooster, Ohio; Washington, D.C.

Received February 1983.

JH-392-82. Japan. US National Arboretum. 51414. Collected October 13, 1982. Near 1864 Minogawa-joonaimachi, Tochigi-shi, Tochigi-ken, Honshu. Tree evergreen, dense habit and broad crown. Bark smooth, gray. Growing in garden near Mr. M. Furuse's house. Cultivated. Seed.

479344. Cephalotaxus harringtonia var. nana (Nakai) Rehd. (Taxaceae).

From Japan. Collected by Kawase, M.; Nielsen, D.; Heyer, F.; March, S.; Ohio Agricultural Research & Development Center; US National Arboretum; Wooster, Ohio; Washington, D.C.
Received February 1983.

JH-201-82. Japan. US National Arboretum. 51218.
Collected September 28, 1982. Arboretum, Tokyo Univ.
Furano Forest, Yamabe, Furano-shi, Hokkaido. Lat. 43 deg.
14° N, Long. 142 deg. 24° E. Snow cover 2.5m per annum.
Minimum temperature -30C. Shrut evergreen, 1.2m tall.
Branches spreading. Leaves lustrous green above, whitish beneath. Fruit greenish (immature). Seed collected from several plants. Cultivated. Seed.

479345. Cercidiphyllum japonicum Sieb. & Zucc. (Cercidiphyllaceae).

From Japan. Collected by Kawase, M.; Nielsen, D.; Meyer, F.; March, S.; Ohio Agricultural Research & Development Center; US National Arboretum; Wooster, Ohio; Washington, D.C.
Received February 1983.